

according to Regulation (EC) No. 453/2010

# Calcium-Bentonit EF, Powder

Date of issue 25.01.2017

#### $1. \ Identification of the substance/mixture and of the company/undertaking$

#### Product identifier

Trade name	: penergetic b		
Product code	: 3000B – 3180B		
Manufactured by	: Penergetic Int. AG Romiszelgstrasse 1 CH- 8590 Romanshorn (Switzerland)		
CAS-number	: 1302-78-9		
EC-number	: 215-108-5		
Product description			
Substance name	: Calcium Bentonite		
Scope of application	: Soil activation		
Expiry date	: 5 years from date of manufacture		
<b>Relevant identified uses of the sub</b> Relevant identified uses of the	ostance or mixture and uses and uses advised against		
substance and mixture	: Bentonite has a variety of uses. It can be used as a rheologymodifier, binding agent, adsorbent, filler and other i.e for applications like: foundry, iron ore agglomeration, drilling, construction – civil engineering, filtration (i.e oil, wine, beer), pharmaceutical & cosmetics, cat litter, food and feed additives in human and animal nutrition.		
Uses advised against	: There are no uses advised against.		
Details of the supplier of the safety of	lata sheet		
Company	: Agrimont GmbH Mahlergasse 1		

	Mahlergasse 1
	93326 Abensberg
Telephone	: +49 9443 928 78 0
Fax	: +49 9443 928 78 29
Contact	: Mr.Schillok







according to Regulation (EC) No. 453/2010

# Calcium-Bentonit EF, Powder

Date of issue 25.01.2017

2. Composition/Information on ingredients

Chemical characterization	
Synonyms	: Bentonite, sodian; Bentonite, calcian; Montmorillonite, Sodium-
	activated
Bentonite is a UVCB substance, sub-type	4. The purity of the product is 100 % w/w. Impurities are not applicable for a UVCB
substance.	

3. Hazards identification

.

Ĩ			
	Classification of the substance or mixture Classification according CLP regulation (Regulation (EC) No. 1272/2008, as amended)	,	Not classified, Bentonite does not meet the criteria forclassification.
	Classification according EC Directive (67/548/EEC or 1999/45/EC, as amended)	:	Not classified, Bentonite does not meet the criteria forclassification.
	Label elements Labelling according CLP regulation (Regulation (EC) No 1272/2008, as amended) : according to CLP/GHS.		The product does not require classification and labeling as hazardous
	Other hazards :		The product contains less than 1% w/w RCS (respirable crystalline silica) as determined by the SWERF method. The respirable crystalline silica content can be measured using the "Size-Weighted Respirable Fraction – SWERF" method. All details about the SWERF method is available at www.crystallinesilica.eu
			Depending on the handling and use (grinding, drying, bagging), airborne respirable dust may be generated. Dust contains respirable crystalline silica. Prolonged and or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness. Occupational exposure to respirable dust should be monitored and controlled. The product should be handled using methods and techniques that minimize or eliminate dust generation. The substance does not meet the criteria for PBT or vPvB substance.

4. First aid measures

<b>Description of first aid measures</b> General information	: No known delayed effects. Consult a physician for all exposures except for minor instances.
	2 / 14

Penergetic International AG, CH - 8590 Romanshorn, www.penergetic.com ©







according to Regulation (EC) No. 453/2010

# Calcium-Bentonit EF, Powder

After inhalation	:	Remove to fresh air immediately. Get medical attention immediately.
After contact with skin	:	Wash off immediately with soap and plenty of water.
After contact with eyes	:	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
After ingestion	:	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effects, both acute and delayed symptoms	:	There are no acute and delayed symptoms and effects observed.
Hazards	:	No information available.
Indication of any immediate medical attention and special treatment needed treatment	:	Treat symptomatically.







according to Regulation (EC) No. 453/2010

# Calcium-Bentonit EF, Powder

Date of issue 25.01.2017

5. Firefighting measures

5 5	The product itself does not burn. priate to local circumstances and the surrounding environment.
Extinguishing media that must not be used for safety reasons	: No restrictions
Special hazards arising from the substance or mixture hazardous thermal decomposition products.	: The material is not flammable and it does not support fire. No
Advice for firefighters Special protective equipment for Firefighting:	: In the event of fire, wear self-contained breathing apparatus. Special sliding risk through leaking of spilled product in connection with water.









according to Regulation (EC) No. 453/2010

#### Calcium-Bentonit EF, Powder

Date of issue 25.01.2017

6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures	<ul> <li>Ensure adequate ventilation. Avoid dust information Evacuate personnel to safe areas Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Avoid breathing dust. Use the indicated respiratory protection if the occupational exposure limit is exceeded and /or in case of product release (dust). Special sliding risk through leaking of spilled product in connection with water.</li> </ul>
Environmental precautions	: No special environmental precautions required.
Methods and material for containment and cleaning up	: Pick up and transfer properly labeled containers. If product is released from trucks in roads, place signposts and remove the spill using vacuum cleaning systems.
<b>Reference to other sections</b> Additional information	: See point 8, 13 Avoid dust formation; avoid dry sweeping Use vacuum suction unit, or shovel into bags

#### 7. Handling and storage

Precautions for safe handling Advice on safe handling

Avoid dust formation.
Provide sufficient air exchange and/or exhaust in work rooms.
In case of insufficient ventilation, wear suitable respiratory equipment.
For personal protection see section 8.
Handle and open container with care.
If you require advice on safe handling techniques or specific uses, please contact your supplier or check the further information referred to in section 16.







according to Regulation (EC) No. 453/2010

# Calcium-Bentonit EF, Powder

Date of issue 25.01.2017

Hygiene measures	Wash hands before breaks and at the end of workday.
Conditions for safe storage, including any incompatibilities	Minimize airborne dust generation and prevent wind dispersal during Requirements for storage areas and loading and unloading. Keep containers closed and store packaged products so as to prevent accidental bursting.
Advice on storage compatibility	No conditions to be specially mentioned
Storage stability	Stable under recommended storage conditions
Specific end use(s)	Not relevant

#### 8. Exposure controls/personal protection

Control parameters

Exposure limit values

: Bentonite (dust)

Regulatory basis / Regulatory list	Revision	Type of value	Values	Remarks
Nepsi (European Network on Silica)	1/2006	Exposure limit(s) Total dust	10 mg/m3	
Nepsi (European Network on Silica)	1/2006	Exposure limit(s) Respirable fraction	3 mg/m3	http://www.nepsi.eu/agreement- good-practice- guide/occupational-exposure- limits.aspx
DNEL/DMEL values	:	DNEL/DMEL values are n	ot available.	
PNEC values	:	PNEC values are not avail	lable.	
Exposure controls Appropriate engineering of	controls :	specified exposure limits, ventilation to keep expos	er engineering contr If user operations g ure to airborne partic sures e.g. by isolatio	ss enclosures, local ols to keep airborne levels below enerate dust, fumes or mist, use cles below the exposure limit. ng personnel from dusty areas.
Respiratory protection	:	Local ventilation to keep le values is recommended. dust concentrations, a su with the requirements of depending on the expect	In case of prolonged itable particle filter n national legislation is	d exposure to airborne nask that complies







according to Regulation (EC) No. 453/2010

## Calcium-Bentonit EF, Powder

Hand protection	: Use a high fat protective cream after cleaning skin. Wear suitable gloves.
Eye protection	: Do not wear contact lenses. Safety glasses with side-shields ensure that eyewash stations and safety showers are close to the workstation location.
Body protection	: Long sleeved clothing
9. Physical and chemical properties	
Information on basic physical and chemical properties	
Physical state	: solid
Form	: powder
Colour	: bright to earthy
Odour	: typical mineralogical, earthy
pH-value	: 6 – 11 (20° C) Method : Aqueous suspension For detailed information please refer to our physical & chemical data sheet.
Melting point/range A.1	: >450 °C Method: EU
Boiling point/boiling range	:not applicable (solid with a melting point >450° C) Flash point
	: not applicable (solid with a melting point > 450° C)
Evaporation rate	: not applicable (solid with a melting point > 450° C)
Flammability EU A.10	: does not ignite Method :
Lower explosion limit associated with explosive properties)	: non explosive (void of any chemical structures commonly
Vapour pressure	: not applicable (solid with a melting point > 450 °C)
Vapour density relative to air	: not applicable
Solubility in water Method : Directive 84/449/EEC, A.6	: < 0,9 g/l (20 °C)
Octanol/water partition coefficient (log Pow)	: notapplicable : inorganic







according to Regulation (EC) No. 453/2010

# Calcium-Bentonit EF, Powder

Self-ignition temperature	: Method : Directive 92/69/EEC,A.6 no relative self-ignition temperature below 400 °C
Thermal decomposition	: no decomposition if used as directed.
Viscosity (dynamic)	: not applicable (solid with a melting point > 450 °C)
Oxidizing properties	: no oxidizing properties (Based on the chemical structure, the substance does not contain a surplus of oxygen or any structural groups known to be correlated with a tendency to react exothermally with combustible material)
Other information	
Density	: 2,6 g/cm3
Bulk density	: 500 - 1.100 kg/m3 For detail information please refer to our physical & chemical data sheet.

10. Stability and reactivity	
Reactivity	Stable under recommended storage conditions
Chemical stability	The product is chermically stable. None
Possibility of hazardous	known.
Conditions to avoid	Forms slippery/greasy layers with water.
Incompatible materials	<ul> <li>Inert, not reactive Avoid storing together with materials that may be affected by dust.</li> </ul>
Hazardous decomposition products	Not relevant









according to Regulation (EC) No. 453/2010

# Calcium-Bentonit EF, Powder

Information on toxicological effects Information related to the product itself	
Acute oral toxicity Acute	: LD50 > 2 g/kg (rat) Method : OECD Test Guideline 420
dermal toxicity	: No data available Bentonite is almost insoluble and has a low absorption through the skin.
Acute inhalation toxicity	: No data available
Irritant effect on skin	: Not irritant (rabbit) Method : OECD 404
Irritant effect on eyes	: Not irritant (rabbit) Method : OECD 405
Sensitization Genetic toxicity in vitro	<ul> <li>No data available Bentonite is considered not to be a skin sensitizer based on experience in handling and low absorption through the skin.</li> <li>Test type : In vitro gene mutation study in bacteria Restult : negative Method : OECD 471 Test type : In vitro chromosome aberration test Result : negative Method : OECD 473 Test type : In vitro gene mutation study in mammalian cells</li> </ul>
Carcinogenicity	Result : negative Method : OECD 476 : Based on available data, the classification criteria are not met.
Toxicity to reproduction / fertility	: Based on availability data, the classification criteria are not met.
Specific target organ toxicity (STOT) - single exposure	: No organ toxicity observed in acute tests. Based on available data, the classification criteria are not met.
Aspiration hazard	: No aspiration toxicity classification
Remarks Specific symptoms in animal studies likely route of exposure)	:
In case of ingestion	: No acute or long term effects were seen in animal studies following oral exposure.







according to Regulation (EC) No. 453/2010

### Calcium-Bentonit EF, Powder

In case of skin contact	<ul> <li>No acute effects were seen in an animal study following acute dermal exposure.</li></ul>
In case of inhalation	Bentonite acid leached is not a skin irritant <li>No acute effects were seen in an animal study following acute inhalation exposure.</li>
	Bentonite acid leached contains crystalline silica, which is a known cause of silicosis, a progressive, sometimes fatal lung disease. In a 1997 monograph (Volume 68, "Silica, Some Silicates, Coal Dust and Para-aramid Fibrils"), the International Agency for Research on cancer (IARC) has classified "inhaled crystalline silica from occupational sources" in Group 1as a substance "carcinogenic to humans". In making the overall evaluation, the IARC Working Group noted that carcinogenicity in humans was not detected in all industrial circumstances studied. Crystalline silica has also been classified by the German MAK Commission as a human carcinogen (Category A1). Although bentonite acid-leached contains quartz, an intratracheal study (Creutzenberg 2008) on the read across substance bentonite demonstrated significant differences in toxicity following administration of equivalent doses of quartz as either bentonite (15.2 mg of bentonite with 60% quartz) or reference quartz (10.5 mg of 87% quartz). The reference-quartz caused significant, self-perpetuating lung toxicity while bentonite demonstrated significantly less toxicity and partial recovery during the study period. The main effect of bentonite was slight fibrosis and inflammation of the lung. The study demonstrated that a simple bridging of toxicity data from quartz to bentonite acid-leached is not appropriate.





according to Regulation (EC) No. 453/2010

### Calcium-Bentonit EF, Powder

Date of issue 25.01.2017

12. Ecological information	
Toxicity Information related to the product itself	
Fish toxicity	: LC50 16 g/l (96 h, Oncorhynchus mykiss (rainbow trout)) LC50 2,8 – 3,2 g/l (24 h, Marine water fish)
Daphnia toxicity	: EC50 > 100 mg/l (48 h, daphnia (magna)) Method : OECD 202 EC50 81,6 mg/l (96 h, Metacarcinus magister) EC50 24,8 mg/l (96 h, Pandalus danae)
Algae toxicity	: EC50 > 100 mg/l (72 h, Scenedesmus subspicatus) 84,4
Toxicity to terrestrial plants	: mg/kg (Phaseolus vulgaris) No effect on the growth was observed. 84,4 mg/kg (Zea mays) No effect on the growth was observed.
Persistence and degradability Information related to the product itself	
Biodegradability	: The methods for determining biodegradability are not applicable to inorganic substances.
Bioaccumulative potential Information related to the product itself	
Bioaccumulation	
Mobility in soil Information related to the product itself	: Not relevant for inorganic substances
Transport and distribution between environmental compartments	
Results of PBT and vPvB asssessment Information related to the product itself	: (Soil) Bentonite is almost insoluble and thus presents a low mobility in most soils.
<b>Other adverse effects</b> Information related to the product itself Additional ecotoxicological remarks	The substance does not meet the criteria for PBT or vPvB substance.







according to Regulation (EC) No. 453/2010

# Calcium-Bentonit EF, Powder

Date of issue 25.01.2017

#### 13. Disposal considerations

Waste treatment methods	
Product	<ul> <li>Can be disposed of as solid waste in a suitable installation subject to the Environmental Protection (Duty of Care) Regulations.</li> <li>Avoid dust formation.</li> <li>Where possible recycling is preferred to disposal or incineration. No</li> </ul>
Uncleaned packaging	: specific requirements.

#### 14. Transport information

ADR	: Not restricted	
ADN	: Not restricted	
RID	: Not restricted	
ΙΑΤΑ	: Not restricted	
IMDG	: Not restricted	
Special precautions for user	: See sections 6 to 8 of this Data Sheet.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code (International Bulk Chemicals Code)	: No transport as bulk according IBC-Code.	









according to Regulation (EC) No. 453/2010

#### Calcium-Bentonit EF, Powder

Date of issue 25.01.2017

#### 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Water Hazard Class (Ger.)	:	not water endangering
Other regulations	:	Bentonite is not a SEVESCO substance, not an ozone depleting substance and not a persistent organic pollutant. The product (bentonite) is not a separately classified by the Occupational Health and Safety Administration (OSHA). The product has not been classified as a human carcinogen by OSHA, the international Agency for Research on Cancer (IARC) and the National Toxicology Program (NTP).
Chemical safety assessment	:	A hazard assessment has been conducted under the umbrella of the European Bentonite Association (EUBA) and the outcome was that bentonite is not a hazardous substances. Therefore, in absence of identified hazard, the substance is safe and presents no risk.

#### 16. Other Information

Sources of the key data used to compile the Safety Data	
Sheet	<ul> <li>Creutzenberg O, Hansen T, Ernst H &amp; Muhle H (2008) Toxicity of a quartz with occulated surfaces in a 90 day intratracheal instillation study in rats; Inhalation toxicology. 20: 995-1008</li> </ul>

This safety data sheet (SDS) is based on the legal provisions of the REACH Regulation (EC 1907/2006; article 31 and Annex II), as amended. Its contents are intended as a guide to the appropriate precautionary handling of the material. It is the responsibility of recipients of this SDS to ensure that the information contained therein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. Information and instructions provided in this SDS are based on the current state of scientific and technical knowledge at the date of issue indicated. It should not be construed as any guarantee of technical performance, suitability for particular applications, and does not establish a legally valid contractual relationship. This version of the SDS supersedes all previous versions.

#### Legend

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR European Agreement concerning the International Carriage of Dangerous Goods by Road AOX Adsorbable organic bound halogens CAS Chemical Abstracts Service DMEL Derived Minimal Effect Level (genotoxic substances) DNEL Derived No Effect Level EC50 Half maximal effective concentration GHS Globally Harmonized System







according to Regulation (EC) No. 453/2010

#### Calcium-Bentonit EF, Powder

Date of issue 25.01.2017

IATA International Air Transport Association IMDG International Maritime Dangerous Goods LC50 Lethal Concentration 50% LD50 Lethal Dose 50% MARPOL International Convention for the Prevention of Pollution From Ships NOAEC No Observed Adverse Effect Concentration NOAEL No Observed Adverse Effect Level NOEC Non Observed Effect Concentration **OEL Occupational Exposure Limit** PBT Persistent, Bioaccumulative, Toxic PEC Predicted Environmental Concentration PNEC Predicted No Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID International Rule for Transport of Dangerous Substances by Railway SVHC Substances of Very High Concern vPvB very Persistent and very Bioaccumulative



